

# Adaptor Grammars: A framework for Bayesian non-parametric grammatical inference

Mark Johnson

joint work with Katherine Demuth, Michael Frank,  
Sharon Goldwater, Tom Griffiths and Bevan Jones

November 2010

# The drunk under the lamppost

Late one night, a drunk guy is crawling around under a lamppost. A cop comes up and asks him what he's doing.

*“I'm looking for my keys,”* the drunk says. *“I lost them about three blocks away.”*

*“So why aren't you looking for them where you dropped them?”* the cop asks.

The drunk looks at the cop, amazed that he'd ask so obvious a question. *“Because the light is so much better here.”*

# Ideas behind talk

- Statistical methods have revolutionized computational linguistics and cognitive science
- But most successful learning methods are *parametric*
  - ▶ learn values of a *fixed number of parameters*
- *Non-parametric Bayesian methods* learn the parameters
- *Adaptor Grammars* learn probability of each *adapted subtree*
  - ▶ c.f., data-oriented parsing
- “*Rich get richer*” learning rule  $\Rightarrow$  *Zipf distributions*
- Applications of Adaptor Grammars:
  - ▶ acquisition of *concatenative morphology*
  - ▶ *word segmentation* and lexical acquisition
  - ▶ topic models and *learning the referents of words*
  - ▶ learning collocations in *LDA topic models*
- Sampling (instead of EM) is a natural approach to Adaptor Grammar inference

# Language acquisition as Bayesian inference

$$\underbrace{P(\text{Grammar} \mid \text{Data})}_{\text{Posterior}} \propto \underbrace{P(\text{Data} \mid \text{Grammar})}_{\text{Likelihood}} \underbrace{P(\text{Grammar})}_{\text{Prior}}$$

- Likelihood measures how well grammar describes data
- Prior expresses knowledge of grammar before data is seen
  - ▶ can be very specific (e.g., Universal Grammar)
  - ▶ can be very general (e.g., prefer shorter grammars)
- Posterior is a *distribution* over grammars
  - ▶ captures *learner's uncertainty* about which grammar is correct
- Language learning is *non-parametric* inference
  - ▶ no (obvious) bound on number of words, grammatical morphemes, etc

# Outline

Learning Probabilistic Context-Free Grammars

Chinese Restaurant Processes

Adaptor grammars

Adaptor grammars for unsupervised word segmentation

Mandarin Chinese word segmentation and tone

Topic models and learning the referents of words


Learning collocations in LDA topic models

Conclusion

# Probabilistic context-free grammars

- Probabilistic context-free grammars (PCFGs) define *probability distributions over trees*
- Each *nonterminal node* expands by
  - ▶ choosing a rule expanding that nonterminal, and
  - ▶ recursively expanding any nonterminal children it contains
- Probability of tree is *product of probabilities of rules* used to construct it


<i>Probability <math>\theta_r</math></i>	<i>Rule <math>r</math></i>
1	$S \rightarrow NP VP$
0.7	$NP \rightarrow Sam$
0.3	$NP \rightarrow Sandy$
1	$VP \rightarrow V NP$
0.8	$V \rightarrow likes$
0.2	$V \rightarrow hates$



# Probabilistic context-free grammars

- Probabilistic context-free grammars (PCFGs) define *probability distributions over trees*
- Each *nonterminal node* expands by
  - ▶ choosing a rule expanding that nonterminal, and
  - ▶ recursively expanding any nonterminal children it contains
- Probability of tree is *product of probabilities of rules* used to construct it


<i>Probability <math>\theta_r</math></i>	<i>Rule <math>r</math></i>
1	$S \rightarrow NP VP$
0.7	$NP \rightarrow Sam$
0.3	$NP \rightarrow Sandy$
1	$VP \rightarrow V NP$
0.8	$V \rightarrow likes$
0.2	$V \rightarrow hates$



# Probabilistic context-free grammars

- Probabilistic context-free grammars (PCFGs) define *probability distributions over trees*
- Each *nonterminal node* expands by
  - ▶ choosing a rule expanding that nonterminal, and
  - ▶ recursively expanding any nonterminal children it contains
- Probability of tree is *product of probabilities of rules* used to construct it

<i>Probability <math>\theta_r</math></i>	<i>Rule <math>r</math></i>
1	$S \rightarrow NP VP$
0.7	$NP \rightarrow Sam$
0.3	$NP \rightarrow Sandy$
1	$VP \rightarrow V NP$
0.8	$V \rightarrow likes$
0.2	$V \rightarrow hates$






# Probabilistic context-free grammars

- Probabilistic context-free grammars (PCFGs) define *probability distributions over trees*
- Each *nonterminal node* expands by
  - ▶ choosing a rule expanding that nonterminal, and
  - ▶ recursively expanding any nonterminal children it contains
- Probability of tree is *product of probabilities of rules* used to construct it


<i>Probability <math>\theta_r</math></i>	<i>Rule <math>r</math></i>
1	$S \rightarrow NP VP$
0.7	$NP \rightarrow Sam$
0.3	$NP \rightarrow Sandy$
1	$VP \rightarrow V NP$
0.8	$V \rightarrow likes$
0.2	$V \rightarrow hates$



# Probabilistic context-free grammars

- Probabilistic context-free grammars (PCFGs) define *probability distributions over trees*
- Each *nonterminal node* expands by
  - ▶ choosing a rule expanding that nonterminal, and
  - ▶ recursively expanding any nonterminal children it contains
- Probability of tree is *product of probabilities of rules* used to construct it


<i>Probability <math>\theta_r</math></i>	<i>Rule <math>r</math></i>
1	$S \rightarrow NP VP$
0.7	$NP \rightarrow Sam$
0.3	$NP \rightarrow Sandy$
1	$VP \rightarrow V NP$
0.8	$V \rightarrow likes$
0.2	$V \rightarrow hates$



# Probabilistic context-free grammars

- Probabilistic context-free grammars (PCFGs) define *probability distributions over trees*
- Each *nonterminal node* expands by
  - ▶ choosing a rule expanding that nonterminal, and
  - ▶ recursively expanding any nonterminal children it contains
- Probability of tree is *product of probabilities of rules* used to construct it

<i>Probability <math>\theta_r</math></i>	<i>Rule <math>r</math></i>
1	$S \rightarrow NP VP$
0.7	$NP \rightarrow Sam$
0.3	$NP \rightarrow Sandy$
1	$VP \rightarrow V NP$
0.8	$V \rightarrow likes$
0.2	$V \rightarrow hates$



# Learning syntactic structure is hard

- Bayesian PCFG estimation works well on toy data
- Results are disappointing on “real” data
  - ▶ wrong data?
  - ▶ wrong rules?
    - *rules in PCFG must be given a priori*  
*can we learn them too?*
- Strategy: study simpler cases
  - ▶ Morphological segmentation (e.g., *walking = walk+ing*)
  - ▶ Word segmentation of unsegmented utterances

# A CFG for stem-suffix morphology

Word  $\rightarrow$  Stem Suffix


Stem  $\rightarrow$  Chars

Suffix  $\rightarrow$  Chars

Chars  $\rightarrow$  Char

Chars  $\rightarrow$  Char Chars

Char  $\rightarrow$  a | b | c | ...



- Grammar's trees can represent any segmentation of words into stems and suffixes

$\Rightarrow$  Can *represent* true segmentation


- But grammar's *units of generalization (PCFG rules)* are "too small" to learn morphemes

# A “CFG” with one rule per possible morpheme

Word  $\rightarrow$  Stem Suffix

Stem  $\rightarrow$  *all possible stems*


Suffix  $\rightarrow$  *all possible suffixes*



- A rule for each morpheme  
 $\Rightarrow$  “PCFG” can represent probability of each morpheme
- *Unbounded number of possible rules, so this is not a PCFG*
  - ▶ not a practical problem, as only a finite set of rules could possibly be used in any particular data set


# Maximum likelihood estimate for $\theta$ is trivial

- Maximum likelihood selects  $\theta$  that minimizes KL-divergence between model and training data  $\mathbf{W}$  distributions
  - *Saturated model* in which each word is generated by its own rule replicates training data distribution  $\mathbf{W}$  exactly
- ⇒ Saturated model is maximum likelihood estimate
- Maximum likelihood estimate does not find any suffixes



## Forcing generalization via sparse priors

- Idea: use Bayesian prior that prefers fewer rules
- Set of rules is fixed in standard PCFG estimation, but can “turn rule off” by setting  $\theta_{A \rightarrow \beta} \approx 0$
- Dirichlet prior with  $\alpha_{A \rightarrow \beta} \approx 0$  prefers  $\theta_{A \rightarrow \beta} \approx 0$






# Morphological segmentation experiment

- Trained on orthographic verbs from U Penn. Wall Street Journal treebank
- Uniform Dirichlet prior prefers sparse solutions as  $\alpha \rightarrow 0$
- Gibbs sampler samples from posterior distribution of parses
  - ▶ reanalyses each word based on parses of the other words

# Posterior samples from WSJ verb tokens


$\alpha = 0.1$	$\alpha = 10^{-5}$	$\alpha = 10^{-10}$	$\alpha = 10^{-15}$
expect	expect	expect	expect
expects	expects	expects	expects
expected	expected	expected	expected
expecting	expect ing	expect ing	expect ing
include	include	include	include
includes	includes	includ es	includ es
included	included	includ ed	includ ed
including	including	including	including
add	add	add	add
adds	adds	adds	add s
added	added	add ed	added
adding	adding	add ing	add ing
continue	continue	continue	continue
continues	continues	continue s	continue s
continued	continued	continu ed	continu ed
continuing	continuing	continu ing	continu ing
report	report	report	report

# Log posterior for models on token data



- Correct solution is nowhere near as likely as posterior  
⇒ model is wrong!

# Relative frequencies of inflected verb forms



# Types and tokens

- A word *type* is a distinct word shape
- A word *token* is an occurrence of a word

Data = “the cat chased the other cat”

Tokens = “the”, “cat”, “chased”, “the”, “other”, “cat”


Types = “the”, “cat”, “chased”, “other”

- Estimating  $\theta$  from *word types* rather than word tokens eliminates (most) frequency variation
  - ▶ 4 common verb suffixes, so when estimating from verb types  
 $\theta_{\text{Suffix} \rightarrow \text{ing}} \# \approx 0.25$
- Several psycholinguists believe that humans learn morphology from word types
- Adaptor grammar mimics Goldwater et al “Interpolating between Types and Tokens” morphology-learning model

# Posterior samples from WSJ verb *types*

$\alpha = 0.1$	$\alpha = 10^{-5}$	$\alpha = 10^{-10}$	$\alpha = 10^{-15}$
expect	expect	expect	exp ect
expects	expect s	expect s	exp ect s
expected	expect ed	expect ed	exp ected
expect ing	expect ing	expect ing	exp ecting
include	includ e	includ e	includ e
include s	includ es	includ es	includ es
included	includ ed	includ ed	includ ed
including	includ ing	includ ing	includ ing
add	add	add	add
adds	add s	add s	add s
add ed	add ed	add ed	add ed
adding	add ing	add ing	add ing
continue	continu e	continu e	continu e
continue s	continu es	continu es	continu es
continu ed	continu ed	continu ed	continu ed
continuing	continu ing	continu ing	continu ing
report	report	repo rt	rep ort

# Log posterior of models on type data



- Correct solution is close to optimal at  $\alpha = 10^{-3}$

# Desiderata for an extension of PCFGs

- PCFG *rules are “too small”* to be effective units of generalization
  - ⇒ generalize over groups of rules
  - ⇒ units of generalization should be chosen based on data
- *Type-based inference* mitigates over-dispersion
  - ⇒ Hierarchical Bayesian model where:
    - ▶ context-free rules generate types
    - ▶ another process replicates types to produce tokens
- *Adaptor grammars:*
  - ▶ learn *probability of entire subtrees* (how a nonterminal expands to terminals)
  - ▶ use grammatical hierarchy to define a Bayesian hierarchy, from which *type-based inference naturally emerges*



# Outline

Learning Probabilistic Context-Free Grammars

Chinese Restaurant Processes

Adaptor grammars

Adaptor grammars for unsupervised word segmentation

Mandarin Chinese word segmentation and tone

Topic models and learning the referents of words

Learning collocations in LDA topic models

Conclusion

# Bayesian inference for Dirichlet-multinomials

- Probability of next event with *uniform Dirichlet prior* with mass  $\alpha$  over  $m$  outcomes and observed data  $\mathbf{Z}_{1:n} = (Z_1, \dots, Z_n)$

$$P(Z_{n+1} = k \mid \mathbf{Z}_{1:n}, \alpha) \propto n_k(\mathbf{Z}_{1:n}) + \alpha/m$$

where  $n_k(\mathbf{Z}_{1:n})$  is number of times  $k$  appears in  $\mathbf{Z}_{1:n}$

- Example: Coin ( $m = 2$ ),  $\alpha = 1$ ,  $\mathbf{Z}_{1:2} = (\text{heads}, \text{heads})$ 
  - ▶  $P(Z_3 = \text{heads} \mid \mathbf{Z}_{1:2}, \alpha) \propto 2.5$
  - ▶  $P(Z_3 = \text{tails} \mid \mathbf{Z}_{1:2}, \alpha) \propto 0.5$

# Dirichlet-multinomials with many outcomes



- Predictive probability:

$$P(Z_{n+1} = k \mid \mathbf{Z}_{1:n}, \alpha) \propto n_k(\mathbf{Z}_{1:n}) + \alpha/m$$

- Suppose the number of outcomes  $m \gg n$ . Then:

$$P(Z_{n+1} = k \mid \mathbf{Z}_{1:n}, \alpha) \propto \begin{cases} n_k(\mathbf{Z}_{1:n}) & \text{if } n_k(\mathbf{Z}_{1:n}) > 0 \\ \alpha/m & \text{if } n_k(\mathbf{Z}_{1:n}) = 0 \end{cases}$$

- But *most outcomes will be unobserved*, so:

$$P(Z_{n+1} \notin \mathbf{Z}_{1:n} \mid \mathbf{Z}_{1:n}, \alpha) \propto \alpha$$

# From Dirichlet-multinomials to Chinese Restaurant Processes



- Suppose *number of outcomes is unbounded* but *we* pick the event labels
- If we number event types in order of occurrence  $\Rightarrow$  *Chinese Restaurant Process*

$$Z_1 = 1$$
$$P(Z_{n+1} = k \mid \mathbf{Z}_{1:n}, \alpha) \propto \begin{cases} n_k(\mathbf{Z}_{1:n}) & \text{if } k \leq m = \max(\mathbf{Z}_{1:n}) \\ \alpha & \text{if } k = m + 1 \end{cases}$$


# Chinese Restaurant Process (0)



- Customer  $\rightarrow$  table mapping  $\mathbf{Z} =$
- $P(\mathbf{z}) = 1$
- Next customer chooses a table according to:

$$P(Z_{n+1} = k \mid \mathbf{Z}_{1:n}) \propto \begin{cases} n_k(\mathbf{Z}_{1:n}) & \text{if } k \leq m = \max(\mathbf{Z}_{1:n}) \\ \alpha & \text{if } k = m + 1 \end{cases}$$


# Chinese Restaurant Process (1)



- Customer  $\rightarrow$  table mapping  $\mathbf{Z} = 1$
- $P(\mathbf{z}) = \alpha/\alpha$
- Next customer chooses a table according to:

$$P(Z_{n+1} = k \mid \mathbf{Z}_{1:n}) \propto \begin{cases} n_k(\mathbf{Z}_{1:n}) & \text{if } k \leq m = \max(\mathbf{Z}_{1:n}) \\ \alpha & \text{if } k = m + 1 \end{cases}$$


## Chinese Restaurant Process (2)



- Customer  $\rightarrow$  table mapping  $\mathbf{Z} = 1, 1$
- $P(\mathbf{z}) = \alpha/\alpha \times 1/(1 + \alpha)$
- Next customer chooses a table according to:

$$P(Z_{n+1} = k \mid \mathbf{Z}_{1:n}) \propto \begin{cases} n_k(\mathbf{Z}_{1:n}) & \text{if } k \leq m = \max(\mathbf{Z}_{1:n}) \\ \alpha & \text{if } k = m + 1 \end{cases}$$

## Chinese Restaurant Process (3)




- Customer  $\rightarrow$  table mapping  $\mathbf{Z} = 1, 1, 2$
- $P(\mathbf{z}) = \alpha/\alpha \times 1/(1 + \alpha) \times \alpha/(2 + \alpha)$
- Next customer chooses a table according to:

$$P(Z_{n+1} = k \mid \mathbf{Z}_{1:n}) \propto \begin{cases} n_k(\mathbf{Z}_{1:n}) & \text{if } k \leq m = \max(\mathbf{Z}_{1:n}) \\ \alpha & \text{if } k = m + 1 \end{cases}$$



# Chinese Restaurant Process (4)



- Customer  $\rightarrow$  table mapping  $\mathbf{Z} = 1, 1, 2, 1$
- $P(\mathbf{z}) = \alpha/\alpha \times 1/(1 + \alpha) \times \alpha/(2 + \alpha) \times 2/(3 + \alpha)$
- Next customer chooses a table according to:


$$P(Z_{n+1} = k \mid \mathbf{Z}_{1:n}) \propto \begin{cases} n_k(\mathbf{Z}_{1:n}) & \text{if } k \leq m = \max(\mathbf{Z}_{1:n}) \\ \alpha & \text{if } k = m + 1 \end{cases}$$

# Labeled Chinese Restaurant Process (0)




- Table  $\rightarrow$  label mapping  $\mathbf{Y} =$
- Customer  $\rightarrow$  table mapping  $\mathbf{Z} =$
- Output sequence  $\mathbf{X} =$
- $P(\mathbf{X}) = 1$
  
- *Base distribution*  $P_0(Y)$  generates a *label*  $Y_k$  for each table  $k$
- All customers sitting at table  $k$  (i.e.,  $Z_i = k$ ) share label  $Y_k$
- Customer  $i$  sitting at table  $Z_i$  has label  $X_i = Y_{Z_i}$

# Labeled Chinese Restaurant Process (1)




- Table  $\rightarrow$  label mapping  $\mathbf{Y} = \text{fish}$
- Customer  $\rightarrow$  table mapping  $\mathbf{Z} = 1$
- Output sequence  $\mathbf{X} = \text{fish}$
- $P(\mathbf{X}) = \alpha/\alpha \times P_0(\text{fish})$
  
- *Base distribution*  $P_0(Y)$  generates a *label*  $Y_k$  for each table  $k$
- All customers sitting at table  $k$  (i.e.,  $Z_i = k$ ) share label  $Y_k$
- Customer  $i$  sitting at table  $Z_i$  has label  $X_i = Y_{Z_i}$

## Labeled Chinese Restaurant Process (2)




- Table  $\rightarrow$  label mapping  $\mathbf{Y} = \text{fish}$
- Customer  $\rightarrow$  table mapping  $\mathbf{Z} = 1, 1$
- Output sequence  $\mathbf{X} = \text{fish}, \text{fish}$
- $P(\mathbf{X}) = P_0(\text{fish}) \times 1/(1 + \alpha)$
  
- *Base distribution*  $P_0(Y)$  generates a *label*  $Y_k$  for each table  $k$
- All customers sitting at table  $k$  (i.e.,  $Z_i = k$ ) share label  $Y_k$
- Customer  $i$  sitting at table  $Z_i$  has label  $X_i = Y_{Z_i}$

## Labeled Chinese Restaurant Process (3)



- Table  $\rightarrow$  label mapping  $\mathbf{Y} = \text{fish, apple}$
- Customer  $\rightarrow$  table mapping  $\mathbf{Z} = 1, 1, 2$
- Output sequence  $\mathbf{X} = \text{fish, fish, apple}$
- $P(\mathbf{X}) = P_0(\text{fish}) \times 1/(1 + \alpha) \times \alpha/(2 + \alpha)P_0(\text{apple})$
  
- *Base distribution*  $P_0(Y)$  generates a *label*  $Y_k$  for each table  $k$
- All customers sitting at table  $k$  (i.e.,  $Z_i = k$ ) share label  $Y_k$
- Customer  $i$  sitting at table  $Z_i$  has label  $X_i = Y_{Z_i}$

## Labeled Chinese Restaurant Process (4)



- Table  $\rightarrow$  label mapping  $\mathbf{Y} = \text{fish, apple}$
- Customer  $\rightarrow$  table mapping  $\mathbf{Z} = 1, 1, 2$
- Output sequence  $\mathbf{X} = \text{fish, fish, apple, fish}$
- $P(\mathbf{X}) = P_0(\text{fish}) \times 1/(1 + \alpha) \times \alpha/(2 + \alpha) P_0(\text{apple}) \times 2/(3 + \alpha)$
  
- *Base distribution*  $P_0(Y)$  generates a *label*  $Y_k$  for each table  $k$
- All customers sitting at table  $k$  (i.e.,  $Z_i = k$ ) share label  $Y_k$
- Customer  $i$  sitting at table  $Z_i$  has label  $X_i = Y_{Z_i}$

# Summary: Chinese Restaurant Processes

- *Chinese Restaurant Processes* (CRPs) generalise Dirichlet-Multinomials to an *unbounded number of outcomes*
  - ▶ *concentration parameter*  $\alpha$  controls how likely a new outcome is
  - ▶ CRPs exhibit a *rich get richer* power-law behaviour
- *Pitman-Yor Processes* (PYPs) generalise CRPs with an additional concentration parameter
  - ▶ this parameter specifies the asymptotic power-law behaviour
- *Labeled CRPs* use a *base distribution* to define distributions over arbitrary objects
  - ▶ base distribution “*labels the tables*”
  - ▶ base distribution can have *infinite support*
  - ▶ concentrates mass on a countable subset
  - ▶ power-law behaviour  $\Rightarrow$  Zipfian distributions

# Nonparametric extensions of PCFGs

- Chinese restaurant processes are a nonparametric extension of Dirichlet-multinomials because the number of states (occupied tables) depends on the data
- Two obvious nonparametric extensions of PCFGs:
  - ▶ let the number of nonterminals grow unboundedly
    - refine the nonterminals of an original grammar  
e.g.,  $S_{35} \rightarrow NP_{27} VP_{17}$
    - $\Rightarrow$  infinite PCFG
  - ▶ let the number of rules grow unboundedly
    - “new” rules are compositions of several rules from original grammar
    - equivalent to caching tree fragments
    - $\Rightarrow$  adaptor grammars
- No reason both can't be done together



# Outline

Learning Probabilistic Context-Free Grammars

Chinese Restaurant Processes

Adaptor grammars

Adaptor grammars for unsupervised word segmentation

Mandarin Chinese word segmentation and tone

Topic models and learning the referents of words

Learning collocations in LDA topic models

Conclusion

# Adaptor grammars: informal description

- The trees generated by an adaptor grammar are defined by CFG rules as in a CFG
- A subset of the nonterminals are *adapted*
- *Unadapted nonterminals* expand by picking a rule and recursively expanding its children, as in a PCFG
- *Adapted nonterminals* can expand in two ways:
  - ▶ by picking a rule and recursively expanding its children, or
  - ▶ by generating a previously generated tree (with probability proportional to the number of times previously generated)
- Implemented by having a CRP for each adapted nonterminal
- The CFG rules of the adapted nonterminals determine the *base distributions* of these CRPs

# From PCFGs to Adaptor grammars

- An adaptor grammar is a PCFG where a subset of the nonterminals are *adapted*
- **Adaptor grammar generative process:**
  - ▶ to expand an *unadapted nonterminal*  $B$ : (just as in PCFG)
    - select a *rule*  $B \rightarrow \beta \in R$  with prob.  $\theta_{B \rightarrow \beta}$ , and recursively expand nonterminals in  $\beta$
  - ▶ to expand an *adapted nonterminal*  $B$ :
    - select a *previously generated subtree*  $T_B$  with prob.  $\propto$  number of times  $T_B$  was generated, or
    - select a *rule*  $B \rightarrow \beta \in R$  with prob.  $\propto \alpha_B \theta_{B \rightarrow \beta}$ , and recursively expand nonterminals in  $\beta$

# Adaptor grammar for stem-suffix morphology


Word → Stem Suffix

Stem → Phons

Suffix → Phons

Phons → Phon

Phons → Phon Phons




or in *abbreviated form* with  
non-adapted nonterminals suppressed

Word → Stem Suffix

Stem → Phon<sup>+</sup>

Suffix → Phon<sup>+</sup>



# Adaptor grammar for stem-suffix morphology (0)

Word  $\rightarrow$  Stem Suffix



Stem  $\rightarrow$  Phoneme<sup>+</sup>




Suffix  $\rightarrow$  Phoneme<sup>\*</sup>



Generated words:

# Adaptor grammar for stem-suffix morphology (1a)

Word  $\rightarrow$  Stem Suffix



Stem  $\rightarrow$  Phoneme<sup>+</sup>




Suffix  $\rightarrow$  Phoneme<sup>\*</sup>




Generated words:

# Adaptor grammar for stem-suffix morphology (1b)


Word → Stem Suffix



Stem → Phoneme<sup>+</sup>




Suffix → Phoneme<sup>\*</sup>




Generated words:

# Adaptor grammar for stem-suffix morphology (1c)


Word → Stem Suffix



Stem → Phoneme<sup>+</sup>



Suffix → Phoneme<sup>\*</sup>




Generated words:




# Adaptor grammar for stem-suffix morphology (1d)



Word  $\rightarrow$  Stem Suffix



Stem  $\rightarrow$  Phoneme<sup>+</sup>





Suffix  $\rightarrow$  Phoneme<sup>\*</sup>




Generated words: *cats*

# Adaptor grammar for stem-suffix morphology (2a)


Word  $\rightarrow$  Stem Suffix



Stem  $\rightarrow$  Phoneme<sup>+</sup>





Suffix  $\rightarrow$  Phoneme<sup>\*</sup>





Generated words: cats

# Adaptor grammar for stem-suffix morphology (2b)


Word  $\rightarrow$  Stem Suffix



Stem  $\rightarrow$  Phoneme<sup>+</sup>





Suffix  $\rightarrow$  Phoneme<sup>\*</sup>





Generated words: cats

# Adaptor grammar for stem-suffix morphology (2c)


Word  $\rightarrow$  Stem Suffix



Stem  $\rightarrow$  Phoneme<sup>+</sup>





Suffix  $\rightarrow$  Phoneme<sup>\*</sup>





Generated words: cats

# Adaptor grammar for stem-suffix morphology (2d)


Word  $\rightarrow$  Stem Suffix



Stem  $\rightarrow$  Phoneme<sup>+</sup>





Suffix  $\rightarrow$  Phoneme<sup>\*</sup>





Generated words: cats, dogs

# Adaptor grammar for stem-suffix morphology (3)


Word  $\rightarrow$  Stem Suffix



Stem  $\rightarrow$  Phoneme<sup>+</sup>



Suffix  $\rightarrow$  Phoneme<sup>\*</sup>



Generated words: cats, dogs, cats

# Adaptor grammars as generative processes

- The sequence of trees generated by an adaptor grammar are *not* independent
  - ▶ it *learns* from the trees it generates
  - ▶ if an adapted subtree has been used frequently in the past, it's more likely to be used again
- but the sequence of trees is *exchangable* (important for sampling)
- An *unadapted nonterminal*  $A$  expands using  $A \rightarrow \beta$  with probability  $\theta_{A \rightarrow \beta}$
- Each adapted nonterminal  $A$  is associated with a CRP (or PYP) that caches previously generated subtrees rooted in  $A$
- An *adapted nonterminal*  $A$  expands:
  - ▶ to a subtree  $\tau$  rooted in  $A$  with probability proportional to the number of times  $\tau$  was previously generated
  - ▶ using  $A \rightarrow \beta$  with probability proportional to  $\alpha_A \theta_{A \rightarrow \beta}$


# Properties of adaptor grammars

- Probability of regenerating an adapted subtree  $T_B$   
 $\propto$  number of times  $T_B$  was previously generated
  - ▶ adapted subtrees are *not independent*
    - an adapted subtree can be *more probable* than the rules used to construct it
  - ▶ but they are *exchangable*  $\Rightarrow$  efficient sampling algorithms
  - ▶ “rich get richer”  $\Rightarrow$  Zipf power-law distributions
- Each adapted nonterminal is associated with a *Chinese Restaurant Process* or *Pitman-Yor Process*
  - ▶ CFG rules define *base distribution* of CRP or PYP
- CRP/PYP parameters (e.g.,  $\alpha_B$ ) can themselves be estimated (e.g., slice sampling)



# Bayesian hierarchy inverts grammatical hierarchy

- Grammatically, a Word is composed of a Stem and a Suffix, which are composed of Chars
- To generate a new Word from an Adaptor Grammar:
  - reuse an old Word, or
  - generate a fresh one from the base distribution, i.e., generate a Stem and a Suffix



- Lower in the tree  $\Rightarrow$  higher in Bayesian hierarchy*

# Outline

Learning Probabilistic Context-Free Grammars

Chinese Restaurant Processes

Adaptor grammars

**Adaptor grammars for unsupervised word segmentation**

Mandarin Chinese word segmentation and tone

Topic models and learning the referents of words

Learning collocations in LDA topic models

Conclusion

# Unsupervised word segmentation

- Input: phoneme sequences with *sentence boundaries* (Brent)
- Task: identify *word boundaries*, and hence words

j Δ u ▲ w Δ a Δ n Δ t ▲ t Δ u ▲ s Δ i ▲ ð Δ ə ▲ b Δ u Δ k  
“you want to see the book”

- Useful cues for word segmentation:
  - ▶ Phonotactics (Fleck)
  - ▶ Inter-word dependencies (Goldwater)

# CFG models of word segmentation

Words  $\rightarrow$  Word

Words  $\rightarrow$  Word Words


Word  $\rightarrow$  Phons

Phons  $\rightarrow$  Phon

Phons  $\rightarrow$  Phon Phons

Phon  $\rightarrow a | b | \dots$

- CFG trees can *describe* segmentation, but
- PCFGs *can't distinguish* good segmentations from bad ones
  - ▶ PCFG rules are *too small* a unit of generalisation
  - ▶ need to learn e.g., probability that *buk* is a Word




# Towards non-parametric grammars

Words  $\rightarrow$  Word

Words  $\rightarrow$  Word Words

Word  $\rightarrow$  *all possible phoneme sequences*

- Learn probability Word  $\rightarrow$  *b u k*
- But *infinitely many possible Word expansions*  
 $\Rightarrow$  this grammar is *not a PCFG*
- Given *fixed training data*, only finitely many useful rules  
 $\Rightarrow$  use data to choose Word rules as well as their probabilities
- An Adaptor Grammar can do precisely this!



# Unigram adaptor grammar (Brent)


Words  $\rightarrow$  Word

Words  $\rightarrow$  Word Words

Word  $\rightarrow$  Phons

Phons  $\rightarrow$  Phon

Phons  $\rightarrow$  Phon Phons



- Word nonterminal is adapted

$\Rightarrow$  To generate a Word:


- ▶ select a previously generated Word subtree with prob.  $\propto$  number of times it has been generated
- ▶ expand using Word  $\rightarrow$  Phons rule with prob.  $\propto \alpha_{\text{Word}}$  and recursively expand Phons

# Unigram model of word segmentation

- Unigram “bag of words” model (Brent):
  - ▶ generate a *dictionary*, i.e., a set of words, where each word is a random sequence of phonemes
    - Bayesian prior prefers smaller dictionaries
  - ▶ generate each utterance by choosing each word at random from dictionary
- Brent’s unigram model as an Adaptor Grammar

Words  $\rightarrow$  Word<sup>+</sup>

Word  $\rightarrow$  Phoneme<sup>+</sup>



- Accuracy of word segmentation learnt: *56% token f-score* (same as Brent model)
- But we can construct many more word segmentation models

using AGs



# Adaptor grammar learnt from Brent corpus

- **Initial grammar**

1	Words $\rightarrow$ <u>Word</u> Words	1	Words $\rightarrow$ <u>Word</u>
1	<u>Word</u> $\rightarrow$ Phon		
1	Phons $\rightarrow$ Phon Phons	1	Phons $\rightarrow$ Phon
1	Phon $\rightarrow D$	1	Phon $\rightarrow G$
1	Phon $\rightarrow A$	1	Phon $\rightarrow E$

- **A grammar learnt from Brent corpus**

16625	Words $\rightarrow$ <u>Word</u> Words	9791	Words $\rightarrow$ <u>Word</u>
1575	<u>Word</u> $\rightarrow$ Phons		
4962	Phons $\rightarrow$ Phon Phons	1575	Phons $\rightarrow$ Phon
134	Phon $\rightarrow D$	41	Phon $\rightarrow G$
180	Phon $\rightarrow A$	152	Phon $\rightarrow E$
460	<u>Word</u> $\rightarrow$ (Phons (Phon $y$ ) (Phons (Phon $u$ )))		
446	<u>Word</u> $\rightarrow$ (Phons (Phon $w$ ) (Phons (Phon $A$ ) (Phons (Phon $t$ )))		
374	<u>Word</u> $\rightarrow$ (Phons (Phon $D$ ) (Phons (Phon $\delta$ )))		
372	<u>Word</u> $\rightarrow$ (Phons (Phon $\mathcal{E}$ ) (Phons (Phon $n$ ) (Phons (Phon $d$ )))		







# Undersegmentation errors with Unigram model

Words  $\rightarrow$  Word<sup>+</sup>      Word  $\rightarrow$  Phon<sup>+</sup>

- Unigram word segmentation model assumes each word is generated independently
- But there are strong inter-word dependencies (collocations)
- Unigram model can only capture such dependencies by analyzing collocations as words (Goldwater 2006)




# Collocations $\Rightarrow$ Words

Sentence  $\rightarrow$  Colloc<sup>+</sup>

Colloc  $\rightarrow$  Word<sup>+</sup>


Word  $\rightarrow$  Phon<sup>+</sup>



- A Colloc(ation) consists of one or more words
- Both Words and Collocs are adapted (learnt)
- Significantly improves word segmentation accuracy over unigram model (74% f-score;  $\approx$  Goldwater's bigram model)

# Collocations $\Rightarrow$ Words $\Rightarrow$ Syllables

Sentence  $\rightarrow$  Colloc<sup>+</sup>    Colloc  $\rightarrow$  Word<sup>+</sup>  
Word  $\rightarrow$  Syllable<sup>{1:3}</sup>    Syllable  $\rightarrow$  (Onset) Rhyme  
Onset  $\rightarrow$  Consonant<sup>+</sup>    Rhyme  $\rightarrow$  Nucleus (Coda)  
Nucleus  $\rightarrow$  Vowel<sup>+</sup>    Coda  $\rightarrow$  Consonant<sup>+</sup>



- Rudimentary syllable model (an improved model might do better)
- With 2 Collocation levels, f-score = 84%

# Distinguishing internal onsets/codas helps

Sentence  $\rightarrow$  Colloc<sup>+</sup>

Word  $\rightarrow$  SyllableIF

Word  $\rightarrow$  SyllableI Syllable SyllableF

OnsetI  $\rightarrow$  Consonant<sup>+</sup>

Nucleus  $\rightarrow$  Vowel<sup>+</sup>


Colloc  $\rightarrow$  Word<sup>+</sup>

Word  $\rightarrow$  SyllableI SyllableF

SyllableIF  $\rightarrow$  (OnsetI) RhymeF


RhymeF  $\rightarrow$  Nucleus (CodaF)

CodaF  $\rightarrow$  Consonant<sup>+</sup>



- With 2 Collocation levels, not distinguishing initial/final clusters, f-score = 84%
- With 3 Collocation levels, distinguishing initial/final clusters, f-score = 87%

# Collocations<sup>2</sup> ⇒ Words ⇒ Syllables



# Summary of English word segmentation

- Word segmentation accuracy depends on the kinds of generalisations learnt.

<b>Generalization</b>	<b>Accuracy</b>
words as units (unigram)	56%
+ associations between words (collocations)	79%
+ syllable structure	87%

- *Word segmentation accuracy improves when you learn other things as well*
  - ▶ *explain away* potentially misleading generalizations

# Outline

Learning Probabilistic Context-Free Grammars

Chinese Restaurant Processes

Adaptor grammars

Adaptor grammars for unsupervised word segmentation

Mandarin Chinese word segmentation and tone

Topic models and learning the referents of words

Learning collocations in LDA topic models

Conclusion

# Tone in Mandarin Chinese word segmentation

- Tone in Mandarin Chinese provides an additional dimension of information to the language learner
- It is necessary in order to distinguish lexical items, but how important is it for word segmentation?
- Approach:
  - ▶ construct a pair of otherwise identical corpora, one that contains tone and one that does not
  - ▶ run identical learning algorithms on both corpora
  - ▶ compare the accuracy with which each learns word segmentation



# Mandarin Chinese corpus

- Used Tardif (1993) Beijing corpus (in Pinyin format)
  - ▶ deleted all Child utterances, and utterances with codes \$INTERJ, \$UNINT, \$VOC and \$PRMPT
  - ▶ corpus contains 50,118 utterances, 187,533 word tokens

zen3me gei3 ta1 bei1 shang4 lai2 (1.) ?  
ta1: (.) a1yi2 gei3 de (.) ta1 gei3 de .  
hen3 jian3dan1 .
- Used Pinyin to IPA translation program to produce IPA:

tsən<sup>214</sup> mɤ kei<sup>214</sup> t<sup>h</sup>a<sup>55</sup> pei<sup>55</sup> ʂɑŋ<sup>51</sup> lai<sup>35</sup>  
t<sup>h</sup>a<sup>55</sup> a<sup>55</sup>i<sup>35</sup> kei<sup>214</sup> tɤ t<sup>h</sup>a<sup>55</sup> kei<sup>214</sup> tɤ  
xən<sup>214</sup> tɕien<sup>214</sup> tan<sup>55</sup>
- Moved tones from end of syllable to preceding vowel

ts ə<sup>214</sup> n m ɤ k e i<sup>214</sup> t<sup>h</sup> a<sup>55</sup> p e i<sup>55</sup> ʂ a<sup>51</sup> ŋ l a i<sup>35</sup>  
t<sup>h</sup> a<sup>55</sup> a<sup>55</sup> i<sup>35</sup> k e i<sup>214</sup> t ɤ t<sup>h</sup> a<sup>55</sup> k e i<sup>214</sup> t ɤ  
x ə<sup>214</sup> n tɕ i ɛ<sup>214</sup> n t a<sup>55</sup> n
- (Optionally delete tones)

# Unigram word segmentation adaptor grammar

Words → Words Word

Words → Word

Word → Phons


Phons → Phon

Phons → Phons Phon

Phons → Phons Tone

Phon → *ai* | *t* | ...

Tone → *35* | *55* | *214* | ...



# Collocation adaptor grammars

- Adaptor grammars with one level of collocation:

Collocs  $\rightarrow$  Colloc<sup>+</sup>      Colloc  $\rightarrow$  Words  
Words  $\rightarrow$  Word<sup>+</sup>

- Adaptor grammars with two levels of collocation:

Colloc2s  $\rightarrow$  Colloc2<sup>+</sup>      Colloc2  $\rightarrow$  Collocs<sup>+</sup>  
Collocs  $\rightarrow$  Colloc<sup>+</sup>      Colloc  $\rightarrow$  Words  
Words  $\rightarrow$  Word<sup>+</sup>

- We experiment with *up to three collocation levels* here

# Syllable structure adaptor grammars

- No distinction between word-internal and word-peripheral syllables*

Word  $\rightarrow$  Syll

Word  $\rightarrow$  Syll Syll Syll

Syll  $\rightarrow$  (Onset)<sup>?</sup> Rhy

Rhy  $\rightarrow$  Nucleus (Coda)<sup>?</sup>

Coda  $\rightarrow$  C<sup>+</sup>

V  $\rightarrow$  ai | o | ...

Word  $\rightarrow$  Syll Syll

Word  $\rightarrow$  Syll Syll Syll Syll

Onset  $\rightarrow$  C<sup>+</sup>

Nucleus  $\rightarrow$  V (V | Tone)<sup>\*</sup>

C  $\rightarrow$  | t | ...

- Distinguishing word-internal and word-peripheral syllables*

Word  $\rightarrow$  SyllIF

Word  $\rightarrow$  SyllI Syll SyllF

SyllIF  $\rightarrow$  (OnsetI)<sup>?</sup> RhyF

SyllF  $\rightarrow$  (OnsetI)<sup>?</sup> RhyF

OnsetI  $\rightarrow$  C<sup>+</sup>

CodaF  $\rightarrow$  C<sup>+</sup>

Word  $\rightarrow$  SyllI SyllF

Word  $\rightarrow$  SyllI Syll Syll SyllF

SyllI  $\rightarrow$  (OnsetI)<sup>?</sup> Rhy

Syll  $\rightarrow$  (Onset)<sup>?</sup> Rhy

RhyF  $\rightarrow$  Nucleus (CodaF)<sup>?</sup>



# Mandarin Chinese word segmentation results

- Word segmentation accuracy when input *contains tones*

	Syllables		
	None	General	Specialised
Unigram	0.57	0.50	0.50
Colloc	0.69	0.67	0.67
Colloc <sup>2</sup>	0.72	0.75	0.75
Colloc <sup>3</sup>	0.64	<b>0.77</b>	<b>0.77</b>

- Word segmentation accuracy when *tones are removed* from input

	Syllables		
	None	General	Specialised
Unigram	0.56	0.46	0.46
Colloc	0.70	0.65	0.65
Colloc <sup>2</sup>	0.74	0.74	0.73
Colloc <sup>3</sup>	0.75	0.76	<b>0.77</b>

# Comparable English results

- English word segmentation results

	Syllables		
	None	General	Specialised
Unigram	0.56	0.46	0.46
Colloc	0.74	0.67	0.66
Colloc <sup>2</sup>	0.79	0.84	0.84
Colloc <sup>3</sup>	0.74	0.82	<b>0.87</b>

# Discussion of Mandarin Chinese word segmentation results

- Mandarin Chinese word segmentation results broadly consistent with English results
  - ▶ unigram segmentation accuracies are similar
  - ▶ results for other models are lower than corresponding English results
- General improvement in accuracy as number of collocation levels increases
- Caveats: the English and Mandarin Chinese corpora are not directly comparable
  - ▶ Discourse context for Mandarin Chinese corpus was far more diverse than for English corpus
  - ▶ Mandarin Chinese children were older than English children

# Syllable structure and word segmentation

- Syllable structure and phonotactic constraints are very useful for English word segmentation, but are much less useful in Mandarin Chinese
  - ▶ perhaps surprising, because Mandarin Chinese has a very regular syllable structure
  - ▶ but perhaps this very predictability makes it less useful for identifying words?
  - ▶ not surprising that distinguishing word-peripheral syllables does not help, as Mandarin Chinese does not distinguish these



# Tone and word segmentation

- Tones only have a small impact on segmentation accuracy
  - ▶ surprising, as they are required for lexical disambiguation
  - ▶ tones make a small improvement to simpler models (Unigram, Colloc) but no improvement with the more complex ones
    - perhaps tone is redundant given the inter-word context modelled by the Colloc<sup>2-3</sup> grammars?
- *Perhaps there's a better way to represent tones in the input, or use tones in the model?*
  - ▶ Neutral tones more common on function words — perhaps this can improve segmentation accuracy?
  - ▶ *Tone sandhi* may give information about phonological word boundaries

# Outline

Learning Probabilistic Context-Free Grammars

Chinese Restaurant Processes

Adaptor grammars

Adaptor grammars for unsupervised word segmentation

Mandarin Chinese word segmentation and tone

Topic models and learning the referents of words

Learning collocations in LDA topic models

Conclusion

# Two hypotheses about language acquisition

1. Pre-programmed *staged acquisition* of linguistic components
  - ▶ Conventional view of *lexical acquisition*, e.g., Kuhl (2004)
    - child first learns the phoneme inventory, which it then uses to learn
    - phonotactic cues for word segmentation, which are used to learn
    - phonological forms of words in the lexicon,
2. *Interactive acquisition* of all linguistic components together
  - ▶ corresponds to *joint inference* for all components of language
  - ▶ stages in language acquisition might be due to:
    - child's input may contain more information about some components
    - some components of language may be learnable with less data

# Synergies: an advantage of interactive learning

- An *interactive learner* can take advantage of *synergies in acquisition*
  - ▶ partial knowledge of component  $A$  provides information about component  $B$
  - ▶ partial knowledge of component  $B$  provides information about component  $A$
- A staged learner can only take advantage of one of these dependencies
- An interactive or *joint learner* can benefit from a positive feedback cycle between  $A$  and  $B$
- Are there synergies in *learning how to segment words* and *learning the referents of words*?


## Prior work: mapping words to referents



- Input to learner:
  - ▶ word sequence: *Is that the pig?*
  - ▶ objects in nonlinguistic context: DOG, PIG
- Learning objectives:
  - ▶ identify utterance topic: PIG
  - ▶ identify word-topic mapping: *pig*  $\mapsto$  PIG

## Frank et al (2009) “topic models” as PCFGs

- Prefix sentences with *possible topic marker*, e.g., PIG|DOG
- PCFG rules *choose a topic* from topic marker and *propagate it through sentence*
- Each word is either generated from sentence topic or null topic  $\emptyset$



- Grammar can require *at most one topical word per sentence*
- Bayesian inference for PCFG rules and trees corresponds to Bayesian inference for word and sentence topics using topic model (Johnson 2010)


# Word segmentation with adaptor grammars

- Adaptor grammars (AGs) can learn the probability of entire subtrees (as well as rules)
- AGs can express several different word segmentation models
- Learning collocations as well as words significantly improves segmentation accuracy

Sentence  $\rightarrow$  Colloc<sup>+</sup>

Colloc  $\rightarrow$  Word<sup>+</sup>

Word  $\rightarrow$  Phon<sup>+</sup>




# AGs for joint segmentation and referent-mapping

- Combine topic-model PCFG with word segmentation AGs
- Input consists of unsegmented phonemic forms prefixed with possible topics:


PIG|DOG I z ð æ t ð ə p I g

- E.g., combination of *Frank* “*topic model*” and *unigram segmentation model*
  - ▶ equivalent to Jones et al (2010)
- Easy to define *other combinations of topic models and segmentation models*





# Collocation topic model AG



- Collocations are either “topical” or not
- Easy to modify this grammar so
  - ▶ at most one topical word per sentence, or
  - ▶ at most *one topical word per topical collocation*

# Experimental set-up

- Input consists of unsegmented phonemic forms prefixed with possible topics:

PIG|DOG *ɪ z ð æ t ð ə p ɪ g*

- ▶ Child-directed speech corpus collected by Fernald et al (1993)
- ▶ Objects in visual context annotated by Frank et al (2009)
- Bayesian inference for AGs using MCMC (Johnson et al 2009)
  - ▶ Uniform prior on PYP  $a$  parameter
  - ▶ “Sparse” Gamma(100, 0.01) on PYP  $b$  parameter
- For each grammar we ran 8 MCMC chains for 5,000 iterations
  - ▶ collected word segmentation and topic assignments at every 10th iteration during last 2,500 iterations
    - ⇒ 2,000 sample analyses per sentence
  - ▶ computed and evaluated the modal (i.e., most frequent) sample analysis of each sentence

# Does non-linguistic context help segmentation?

Model		word segmentation
segmentation	topics	token f-score
unigram	not used	0.533
unigram	any number	0.537
unigram	one per sentence	0.547
collocation	not used	0.695
collocation	any number	0.726
collocation	one per sentence	0.719
collocation	one per collocation	<b>0.750</b>

- Not much improvement with unigram model
  - ▶ consistent with results from Jones et al (2010)
- Larger improvement with collocation model
  - ▶ most gain with *one topical word per topical collocation* (this constraint cannot be imposed on unigram model)

# Does better segmentation help topic identification?

- Task: identify object (if any) *this sentence* is about

Model		sentence referent accuracy	f-score
segmentation	topics		
unigram	not used	0.709	0
unigram	any number	0.702	0.355
unigram	one per sentence	0.503	0.495
collocation	not used	0.709	0
collocation	any number	0.728	0.280
collocation	one per sentence	0.440	0.493
collocation	one per collocation	<b>0.839</b>	<b>0.747</b>

- The collocation grammar with *one topical word per topical collocation* is the only model clearly better than baseline

# Does better segmentation help learning word-to-referent mappings?

- Task: identify *head nouns* of NPs referring to topical objects (e.g. *pɪg*  $\mapsto$  PIG in input PIG | DOG *ɪ z ð æ t ð ə p ɪ g*)

Model		topical word
segmentation	topics	f-score
unigram	not used	0
unigram	any number	0.149
unigram	one per sentence	0.147
collocation	not used	0
collocation	any number	0.220
collocation	one per sentence	0.321
collocation	one per collocation	<b>0.636</b>

- The collocation grammar with one topical word per topical collocation is best at identifying head nouns of referring NPs

# Summary of segmentation and word-to-referent mappings

- *Word to object mapping is learnt more accurately when words are segmented more accurately*
    - ▶ improving segmentation accuracy improves topic detection and acquisition of topical words
  - *Word segmentation accuracy improves when exploiting non-linguistic context information*
    - ▶ incorporating word-topic mapping improves segmentation accuracy (at least with collocation grammars)
- ⇒ *There seem to be synergies a learner could exploit when learning word segmentation and word-object mappings*
- ▶ Caveat: results seem to depend on details of model
- Complexity of models limited by ability to “pass features” in a PCFG
  - ▶ future work: extend the AG framework to permit “feature-passing”

# Outline

Learning Probabilistic Context-Free Grammars

Chinese Restaurant Processes

Adaptor grammars

Adaptor grammars for unsupervised word segmentation

Mandarin Chinese word segmentation and tone

Topic models and learning the referents of words

Learning collocations in LDA topic models

Conclusion

# LDA topic models

- LDA topic models are *admixture models* of documents
  - ▶ topics are assigned to *words* (not sentences or documents)
- An LDA topic model learns:
  - ▶ the topics expressed in a document
  - ▶ the words characteristic of a topic
- Each topic  $i$  is a distribution over words  $\phi_i$
- Each document  $j$  has a *distribution*  $\theta_j$  over topics
- To generate document  $j$ :
  - ▶ for each word position in document:
    - choose a topic  $z$  according to  $\theta_j$ , and then
    - choose a word belonging to that topic according to  $\phi_z$
- “Sparse priors” on  $\phi$  and  $\theta$ 
  - ⇒ most documents have few topics
  - ⇒ most topics have few words



# LDA topic models as Bayes nets

$\phi_i \sim \text{Dir}(\beta)$   $i = 1, \dots, \ell = \text{number of topics}$


$\theta_j \sim \text{Dir}(\alpha)$   $j = 1, \dots, m = \text{number of documents}$

$z_{j,k} \sim \theta_j$   $j = 1, \dots, m$

$k = 1, \dots, n = \text{number of words in a document}$

$w_{j,k} \sim \phi_{z_{j,k}}$   $j = 1, \dots, m$


$k = 1, \dots, n$



# LDA topic models as PCFGs (1)

- Prefix strings from document  $j$  with a *document identifier* “ $-j$ ”

Sentence  $\rightarrow$  Doc' $_j$   $j \in 1, \dots, m$   
Doc' $_j \rightarrow$   $-j$   $j \in 1, \dots, m$   
Doc' $_j \rightarrow$  Doc' $_j$  Doc $_j$   $j \in 1, \dots, m$   
Doc $_j \rightarrow$  Topic $_i$   $i \in 1, \dots, \ell$   
 $j \in 1, \dots, m$   
Topic $_i \rightarrow w$   $i \in 1, \dots, \ell$   
 $w \in \mathcal{V}$



# LDA topic models as PCFGs (2)

- Spine *propagates document id up through tree*

Sentence  $\rightarrow$   $\text{Doc}'_j$       $j \in 1, \dots, m$

$\text{Doc}'_j \rightarrow$   $-j$       $j \in 1, \dots, m$


$\text{Doc}'_j \rightarrow \text{Doc}'_j \text{Doc}_j$       $j \in 1, \dots, m$

$\text{Doc}_j \rightarrow \text{Topic}_i$       $i \in 1, \dots, \ell$

$j \in 1, \dots, m$

$\text{Topic}_i \rightarrow w$       $i \in 1, \dots, \ell$

$w \in \mathcal{V}$



# LDA topic models as PCFGs (3)

- $\text{Doc}_j \rightarrow \text{Topic}_i$  rules map *documents to topics*

$\text{Sentence} \rightarrow \text{Doc}'_j \quad j \in 1, \dots, m$

$\text{Doc}'_j \rightarrow -_j \quad j \in 1, \dots, m$


$\text{Doc}'_j \rightarrow \text{Doc}'_j \text{Doc}_j \quad j \in 1, \dots, m$

$\text{Doc}_j \rightarrow \text{Topic}_i \quad i \in 1, \dots, \ell$

$j \in 1, \dots, m$

$\text{Topic}_i \rightarrow w \quad i \in 1, \dots, \ell$

$w \in \mathcal{V}$



# LDA topic models as PCFGs (4)

- $\text{Topic}_i \rightarrow w$  rules map *topics to words*

Sentence  $\rightarrow \text{Doc}'_j \quad j \in 1, \dots, m$

$\text{Doc}'_j \rightarrow -j \quad j \in 1, \dots, m$


$\text{Doc}'_j \rightarrow \text{Doc}'_j \text{Doc}_j \quad j \in 1, \dots, m$

$\text{Doc}_j \rightarrow \text{Topic}_i \quad i \in 1, \dots, \ell$

$\quad \quad \quad j \in 1, \dots, m$

$\text{Topic}_i \rightarrow w \quad i \in 1, \dots, \ell$

$w \in \mathcal{V}$



# Topic model with collocations

- Combines *PCFG topic model* and *segmentation adaptor grammar*

Sentence  $\rightarrow$  Doc $_j$   $j \in 1, \dots, m$

Doc $_j \rightarrow$   $_j$   $j \in 1, \dots, m$


Doc $_j \rightarrow$  Doc $_j$  Topic $_i$   $i \in 1, \dots, \ell$ ;  
 $j \in 1, \dots, m$

Topic $_i$   $\rightarrow$  Words  $i \in 1, \dots, \ell$

Words  $\rightarrow$  Word

Words  $\rightarrow$  Words Word

Word  $\rightarrow$   $w$   $w \in \mathcal{V}$



# Finding topical collocations in NIPS abstracts

- Run topical collocation adaptor grammar on NIPS corpus
- Run with  $\ell = 20$  topics (i.e., 20 distinct  $\text{Topic}_i$  nonterminals)
- Corpus is segmented by punctuation
  - ▶ terminal strings are fairly short
  - ⇒ inference is fairly efficient
- Used standard AG implementation
  - ▶ Pitman-Yor adaptors
  - ▶ sampled Pitman-Yor  $a$  and  $b$  parameters
  - ▶ flat and “vague Gamma” priors on Pitman-Yor  $a$  and  $b$  parameters

# Sample output on NIPS corpus, 20 topics

- Multiword subtrees learned by adaptor grammar:

T\_0 → gradient descent

T\_1 → associative memory

T\_0 → cost function

T\_1 → standard deviation

T\_0 → fixed point

T\_1 → randomly chosen

T\_0 → learning rates

T\_1 → hamming distance

T\_3 → membrane potential

T\_10 → ocular dominance

T\_3 → action potentials

T\_10 → visual field

T\_3 → visual system

T\_10 → nervous system

T\_3 → primary visual cortex

T\_10 → action potential

- Sample skeletal parses:

\_3 (T\_5 polynomial size) (T\_15 threshold circuits)

\_4 (T\_11 studied) (T\_19 pattern recognition algorithms)

\_4 (T\_2 feedforward neural network) (T\_1 implements)

\_5 (T\_11 single) (T\_10 ocular dominance stripe) (T\_12 low)  
(T\_3 ocularity) (T\_12 drift rate)



# Outline

Learning Probabilistic Context-Free Grammars

Chinese Restaurant Processes

Adaptor grammars

Adaptor grammars for unsupervised word segmentation

Mandarin Chinese word segmentation and tone

Topic models and learning the referents of words

Learning collocations in LDA topic models

Conclusion

# Conclusions and future work

- Adaptor Grammars can express a variety of useful HDP models
  - ▶ generic AG inference code makes it easy to explore models
- AGs have a variety of applications
  - ▶ unsupervised acquisition of morphology
  - ▶ unsupervised word segmentation
  - ▶ learning word to referent mappings
  - ▶ learning collocations in topic models
- Future work:
  - ▶ extend expressive power of AGs (e.g., feature-passing)
  - ▶ richer data (e.g., more non-linguistic context)
  - ▶ more realistic data (e.g., phonological variation)

# Interested in **statistical models**, **machine learning** and **computational linguistics**?

**Macquarie University** is recruiting  
**PhD students** and **post-docs**!

Contact [Mark.Johnson@mq.edu.au](mailto:Mark.Johnson@mq.edu.au) for more information.

